

FIG. 1





FIG. 2

1025a



(b)

210	
MANUFACTURER IDENTIFICATION INFORMATION	TYPE IDENTIFICATION INFORMATION
AA COMPANY	SDRAM/DDR
NUMBER-OF-DEVICES INFORMATION	MEMORY BANK INFORMATION
8	ONE SIDE

FIG. 3

1015

MEMORY ATTRIBUTE INFORMATION				MEMORY ATTACHMENT POSITION INFORMATION		DATA TRANSFER RATE SETTING VALUE CANDIDATE	
MANUFACTURER IDENTIFICATION INFORMATION	NUMBER-OF-DEVICES INFORMATION	MEMORY BANK INFORMATION	TYPE IDENTIFICATION INFORMATION	MEMORY SLOT	UPPER LIMIT TEMPERATURE		
					90°C	80°C	
AA COMPANY	8	ONE SIDE	SDRAM/DDR	MEMORY SLOT 1020a	70%	66%	
	16	BOTH SIDES	SDRAM/DDR	MEMORY SLOT 1020b	75%	71%	
				MEMORY SLOT 1020a	68%	64%	
				MEMORY SLOT 1020b	73%	69%	
BB COMPANY	8	ONE SIDE	SDRAM/DDR	MEMORY SLOT 1020a	68%	64%	
	16	BOTH SIDES	SDRAM/DDR	MEMORY SLOT 1020b	73%	69%	
				MEMORY SLOT 1020a	66%	62%	
				MEMORY SLOT 1020b	71%	67%	
	8	ONE SIDE	SDRAM/SDR	MEMORY SLOT 1020a	70%	66%	
				MEMORY SLOT 1020b	75%	71%	

FIG. 4

